

P22081.A01


10. (Amended-Clean Text) A coated cutting tool according to Claim 1, wherein the substrate comprises cermet.

REMARKS

By the above amendment, the claims have been amended to delete multiple dependency.

If there should be any questions, the Examiner is invited to contact the undersigned at the telephone number listed below.

Respectfully submitted,  
Kazuo YAMAGATA et al.

  
Bruce H. Bernstein  
Reg. No. 29,027

March 7, 2002  
GREENBLUM & BERNSTEIN, P.L.C.  
1941 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

P22081.A01

MARKED-UP COPY OF AMENDED CLAIMS

3. (Amended) A coated cutting tool according to Claim 1 [or 2], wherein the hard coating layer comprises one or more kinds of substances selected from the group consisting of carbides, nitrides, carbonitrides, borides, and oxides of one or more kinds of metal elements selected from the periodic table IVa, Va, VIa groups, Al, and Si, and solid solutions thereof.
5. (Amended) A coated cutting tool according to Claim 1 [any of Claims 1 through 4], wherein the smooth face comprises an aluminum oxide layer.
6. (Amended) A coated cutting tool according to Claim 1 [any of Claims 1 through 5], wherein the ranges of the smooth face are the blade-edge ridge, a range of at least 500 $\mu$ m from the rake face side boundary of the ridge toward the rake face side and a range of at least 200 $\mu$ m from the flank side boundary of the ridge toward the flank side.
7. (Amended) A coated cutting tool according to Claim 4 [any of Claims 4 through 6], wherein the inner layer comprises titanium carbonitride with a film thickness of 2 to 20 $\mu$ m having a columnar crystal structure.

P22081.A01

8. (Amended) A coated cutting tool according to Claim 1 [any of Claims 1 through 7], wherein an innermost layer contacting with the substrate comprises a titanium nitride film of 0.2 to 3  $\mu\text{m}$  in thickness having a granular structure.

9. (Amended) A coated cutting tool according to Claim 5 [any of Claims 5 through 8], wherein the aluminum oxide layer comprises alpha aluminum oxide with a film thickness of 0.5 to 15 $\mu\text{m}$ .

10. (Amended) A coated cutting tool according to Claim 1 [any of Claims 1 through 9], wherein the substrate comprises cermet.